



Order Routing FIX Specifications

DBOX Order Book

Version 1.7

December 26th, 2018

Contents

- 1 SUMMARY OF DOCUMENT CHANGES..... 6**
- 2 INTRODUCTION 7**
 - 2.1 OVERVIEW7
 - 2.1.1 *Intended Audience*7
 - 2.2 THE DELAWARE BOARD OF TRADE ATS PLATFORM.....7
 - 2.2.1 *Alternative Matching Algorithm Price/Size*.....8
 - 2.2.2 *Delaware Board of Trade Routing*8
 - 2.2.3 *Delaware Board of Trade Market Making*8
 - 2.2.4 *Market Maker Registration Services*.....8
 - 2.2.5 *Market Making Quote Capabilities*8
 - 2.2.6 *Hours of Operation*9
 - 2.3 DATA TYPES9
 - 2.4 MINIMUM ORDER SIZE REQUIREMENTS FOR DISPLAY OTC EQUITY SECURITIES9
 - 2.5 SUPPORTED ORDER TYPES.....10
- 3 SYMBOLOGY 11**
- 4 CONNECTING TO DBOX & DBOT FIX..... 12**
 - 4.1 PHYSICAL CONNECTION12
 - 4.2 LOGIN CREDENTIALS AND CONNECTION PROCEDURES.....12
- 5 FIX MESSAGES 13**
 - 5.1 FIX MESSAGES SUPPORTED.....13
 - 5.2 CUSTOM FIX TAGS.....15
 - 5.3 FIX MESSAGE HEADER & TRAILER16
 - 5.3.1 *Message Header*16
 - 5.3.2 *Message Trailer (All)*17
 - 5.4 DROP COPY SESSIONS17
 - 5.5 ADMINISTRATIVE MESSAGES17
 - 5.5.1 *Heartbeat (MsgType = 0)*18
 - 5.5.2 *Logon (MsgType = A)*18
 - 5.5.3 *Test Request (MsgType = 1)*19
 - 5.5.4 *Resend Request (MsgType = 2)*19
 - 5.5.5 *Reject (Msg Type = 3)*.....19
 - 5.5.6 *Sequence Reset (MsgType = 4)*20
 - 5.5.7 *Logout (MsgType = 5)*20
 - 5.6 APPLICATION MESSAGES – CUSTOMER TO DBOX.....21
 - 5.6.1 *New Order – Single (MsgType = D)*21
 - 5.6.2 *Order Cancel Request (MsgType = F)*23
 - 5.6.3 *Order Cancel/Replace Request (a.k.a. Order Modification Request) (MsgType = G)*24
 - 5.7 APPLICATION MESSAGES – DBOT TO CUSTOMER24



Order Routing FIX Specifications

5.7.1	Execution Report (Drop Copy) (MsgType 8)	24
5.7.2	Order Cancel Reject (MsgType =9)	26
6	APPENDIX	26
6.1	ORDER TYPE EXAMPLES	26
6.1.1	Reserve Order	27
6.1.2	Smart Router Order	27
6.1.3	Market Maker Quote	28
6.1.4	Market Maker Reserve Order	29
6.1.5	DBOX Primary Peg	30
6.1.6	DBOX Mid-Point Peg	31

Disclaimer and Rights Granted

The information contained in this document describing Delaware Board of Trade's implementation of the FIX protocol and any other information or documentation related to *Delaware Board of Trade's Order Routing FIX Specifications* message formats are provided "as is", and neither Delaware Board of Trade nor any of its affiliates makes any representation or warranty, express or implied, as to the contents of the *Delaware Board of Trade's Order Routing FIX Specifications* and each such person specifically disclaims any warranty of originality, accuracy, completeness, merchantability, fitness for a particular purpose or that it is error-free. By using the *Delaware Board of Trade's Order Routing FIX Specifications*, you are agreeing to assume the entire risk associated with its use.

The Delaware Board of Trade shall have no liability for damages of any kind arising in any manner out of or in connection with your use of, or your inability to use, the *Delaware Board of Trade's Order Routing FIX Specifications*, whether direct, indirect, incidental, special or consequential arising under contract or otherwise, whether or not Delaware Board of Trade or any of its affiliates has been advised of, or otherwise might have anticipated the possibility of, such damages.

Please note that Delaware Board of Trade will require prior certification of any system designed to connect to its trading and market information as well as your participation from time to time in connection with the testing of changes or upgrades to *Delaware Board of Trade's Order Routing FIX Specifications*.

The information contained in the *Delaware Board of Trade's Order Routing FIX Specifications* is proprietary and confidential information belonging to Delaware Board of Trade and Fix Protocol Limited and/or their respective licensors or service providers, as applicable. Copyright and trade-mark rights and any other intellectual property in the *Delaware Board of Trade's Order Routing FIX Specifications* belong to the Delaware Board of Trade, FIX Protocol Limited and/or its licensors or service providers, as applicable. Your permitted use of the *Delaware Board of Trade's Order Routing FIX Specifications*, in whole or in part, is limited to the non-exclusive, nontransferable, revocable, non-assignable, personal right for you only to build a connection between your systems and Delaware Board of Trade's trading system.



Order Routing FIX Specifications

Copyright in the *Delaware Board of Trade's Order Routing FIX Specifications* belongs to Delaware Board of Trading Inc., 2017. All rights reserved.

Copyright in the FIX Protocol belongs to FIX Protocol Limited: www.fixprotocol.org. FIX Protocol content, documents, information and materials are used solely with permission of FIX Protocol Limited.

Contact Information

Delaware Board of Trade

DBOT ATS LLC
1313 North Market Street
Wilmington, Delaware 19801
Telephone: 302-295-3636
Support@dbot Holdings.com

1 Summary of Document Changes

Version	Date	Change
1.0	5/16/2016	First Draft
1.2	7/20/2016	Second Draft
1.3	1/17/2016	Third Draft
1.4	5/21/2017	Fourth Draft Added Global OTC
1.5	8/1/2017	Fifth Draft Added Primary Peg Order Type
1.6	3/2/2017	Sixth Draft removed Hidden and Non-Attributable orders
1.7	12/26/2018	Seventh Draft- Added GTX TIF

2 Introduction

2.1 Overview

The information in this Delaware Board of Trade FIX document describes the adaptation of the standard FIX 4.2 for vendors and subscribers to communicate with the Delaware Board of Trade quotation and execution platform. FIX 4.2 tags, as described in detail on the Financial Information Exchange Protocol Committee website, www.fixprotocol.org as well as custom tags are used extensively in this document and the reader should familiarize themselves with the latest updates to this release.

If an application message in Financial Information Exchange Protocol version 4.2, or previous FIX versions, is not included in this document, the message is ignored by DBOX.

2.1.1 Intended Audience

This document should be used by:

- Electronic Access Firms
- Market Maker Firms
- Service Bureaus
- Clearing Firms

2.2 The Delaware Board of Trade ATS Platform

The operational components of the Delaware Board of Trade ATS platform consist of two order matching algorithms, the first is a price/time matching algorithm with displayed orders, the second is a price/size matching algorithm with no displayed orders. The ATS Market Participant ID (MPID) registered with FINRA for trading and clearing is “DBOX”. Delaware Board of Trade Displayed Market (DBOX)

The DBOX is a venue for market participants to post orders and firm quotes in the DBOX market making book. Two-sided, one-sided or non-priced quotations are accepted and displayed in price/ time priority. The top of book (inside price best bid/offer) is available in our DBOX Quote Level I and Level II market data. The DBOX top of book will display quotes as attributable representing an assigned firm MPIDs or under the MPID DBOX for pre-trade anonymity.

Orders are submitted to the ATS system and the DBOX will maintain an electronic book through which orders can be displayed and matched. The order book matching algorithm uses

price/time priority criteria for crossing the order and also checks other available venues to assure best execution. All orders at the same price, and size level are filled per time priority.

2.2.1 Alternative Matching Algorithm Price/Size

Firms that will only provide liquidity to the ATS, orders may be submitted to the ATS system designated as a price/size, they will be held in the book and ranked by price/size priority with no attribution associated with the order. The matching algorithm checks all available standing orders in the book and fills the order at the same price level per the execution algorithm priority associated with orders in the book using the same criteria.

2.2.2 Delaware Board of Trade Routing

The Delaware Board of Trade Route is a system that maintains an internal book of other available OTC market centers and can route an incoming order to the corresponding venue to satisfy best execution obligations. Orders tagged as routable will be compared to the ATS BBO and external venue BBO data and routed to the venue displaying the best price for execution. Subscribers have the option of identifying their quotes and orders as routable. Orders not tagged as routable will be displayed and crossed on the DBOX book. Routable orders can be either a Directed order where a venue is selected or Non-directed where the system will route to the venue with the best available price at the time.

2.2.3 Delaware Board of Trade Market Making

The Delaware Board of Trade supports market makers publishing quotes consistent with pre-existing FINRA market maker rules.

The following is a summary of current functionality available on the DBOX quoting facility:

2.2.4 Market Maker Registration Services

- Participate voluntarily, entering and exiting the service at will throughout the day if piggy qualified.
- Register in as few or as many securities as desired.
- Enter one-sided or two-sided quotes.

2.2.5 Market Making Quote Capabilities

- View and enter quotes on a real-time basis for all domestic securities, foreign securities.
- Update quotes in domestic securities, foreign securities any time the system is in operation.
- Enforce minimum quote tier sizes when updating quotes.



- One designated quote per security.
- Bid & Ask – One quote on each side of the market.
- No Auto Quote Refresh.
- Reinstated quotes from previous day.

2.2.6 Hours of Operation

The following table identifies the hours of operations. The Delaware Board of Trade operational hours will be 7:00 am to 6:00 pm ET. The table below also indicates when each matching service are available.

Market Centers	Sessions	Hours	Descriptions
DBOX & DBOT	Pre-Market	7:00 am – 9:30 am	Accept orders from 7:00 am to 9:00am
	Normal Market Hours	9:30 am – 4:00 pm	Trading is available
	Post-Market Hours	4:00PM – 5:00 pm	Trading is available.

2.3 Data Types

All FIX timestamps are GMT as per FIX standard. Clients are expected to synchronize their clocks with an external time source.

Prices – Clients should program their systems to allow execution prices to be returned with up to six decimals

- The order prices above a \$1.00 may be priced up to two decimals
- The order prices below a \$1.00 or more may be priced up to four decimals

2.4 Minimum Order Size Requirements for Display OTC Equity Securities

Clients by entering orders must honor the minimum display size defined in the table below. Depending on the price level of the bid or offer, a different minimum size can apply to each side of the market for the order(s) by the client in a given security.

Price (Bid or Offer)	Minimum Quote Size
0.00 – 0.0999	10,000
0.10-0.1999	5,000
0.20-0.5099	2500
0.51 – 0.999	100
1.00- 174.99	100

175+	1
------	---

2.5 Supported Order Types

The Delaware Board of Trade supports a variety of order types to automate trading preference for subscribers to increase the probability of crossing other orders in the system. The Delaware Board of Trade support standard order types as well as more advanced types.

Order Type	Description
Market Maker Quotes (attributable)	Quote messages are directed to the DBOX system and displayed as one- sided or two –sided bids and/or offers. Quotes can also be entered as non-priced (bid=0, offer=0) as an indication of interest in the security. OW (offer wanted) and BW (bid wanted) are not supported in the DBOX system.
Directed Orders	A Directed Order is when instructions are given; the firm determines the routing destination. Orders can be directed to other exchanges, member firms, and or special order types like a Smart Router that sends orders to external destinations.
Non-Directed Orders	A Non-directed_order is when specific instructions are not submitted concerning the orders routing destination.
Limit Order	A limit order is an order to buy or sell a stock at a specific price or better. A buy limit order can only be executed at the limit price or lower, and a sell limit order can only be executed at the limit price or higher. A limit order can only be filled if the stock’s market price reaches the limit price.
Market Order	Orders placed with a buy or sell a set number of shares at an undetermined price but it is executed by the order book at the best available price.
Reserve	The reserve order allows users to hide the full size of their order and thereby potentially limit its influence on prices. A reserve order is a limit order with a portion of the size displayed and with the reserve portion of the size not displayed. The reserve amount of the order replenishes the displayed order size as executions are received, up to the total order quantity. The reserve amount of the order will remain in the system and it will be used to replenish display size.

Midpoint Peg	<p>A pegged-to-midpoint order provides a means for traders to seek a price at the midpoint of the National Best Bid and Offer (BBO). The price automatically adjusts to peg the midpoint as the markets move.</p>
Primary Peg	<p>The primary peg order follows the best bid, when buying a security, and the best offer when selling a security.</p> <p>Pegged to the OTC Markets Best Bid and Best Offer on the same side of the market Buy orders are pegged to the bid, with or without an offset. Sell orders are pegged to the offer, with or without an offset.</p>
Smart Router <ul style="list-style-type: none"> • Sweep Limit • Sweep Market 	<p>The Sweep Limit will always begin with the inside price level as the starting price. The Sweep Limit will continue until the limit price is reached or the order is no longer marketable or until the order is complete.</p> <p>The Sweep Market is the same as a Sweep Limit order that will keep working at the current inside price. It will exhaust the current inside price level before moving on to the next level. It will keep working until filled; the order expires, or is cancelled. It will not sit idle or it will never post since it is a market order.</p>

3 Symbology

For inbound FIX message to DBOX, we accept both CMS and NASDAQ/BATS symbology. When using CMS format, we expect customer to send root symbol in tag 55 and CMS suffix in tag 65. When using NASDAQ/BATS symbology, we expect customer to send everything in tag 55.

Security Categorization	CMS Suffix	NASDAQ/BATS Integrated Platform Suffix
Preferred	PR	-
Preferred Class "A"*	PRA	-A
Preferred Class "B"*	PRB	-B
Class "A"*	A	.A
Class "B"*	B	.B
Preferred when distributed	PRWD	-Ⓢ
When distributed	WD	Ⓢ



Order Routing FIX Specifications

Warrants	WS	+
Warrants Class "A"*	WSA	+A
Warrants Class "B"*	WSB	+B
Called	CL	*
Class "A" Called*	ACL	.A*
Preferred called	PRCL	-*
Preferred "A" called*	PRACL	-A*
Preferred "A" when issued*	PRAWI	-A#
Emerging Company Marketplace	EC	!
Partial Paid	PP	@
Convertible	CV	%
Convertible called	CVCL	%*
Class Convertible	ACV	.A%
Preferred (class A) Convertible	PRACV	-A%
Preferred (class A) when Distributed	PRAWD	-A\$
Rights	RT	^
Units	U	=
When issued	WI	#
Rights when issued	RTWI	^#
Preferred when issued	PRWI	-#
Class "A" when issued*	AWI	.A#
Warrant when issued	WSWI	+#
TEST symbol	TEST	~

4 Connecting to DBOX & DBOT FIX

4.1 Physical Connection

Connections to Delaware Board of Trade FIX are established through direct connections provided by established financial extranets or layer II connectivity providers or hosting facility cross-connects. Delaware Board of Trade staff will assign IP address and port numbers for connectivity to DBOX FIX through your communications provider.

4.2 Login Credentials and Connection Procedures

IP address, port number, SenderCompID and TargetCompID are required to establish a connection to DBOX and DBOT FIX. The ID assigned to each subscriber is used in the client message header as SenderCompID. The TargetCompID for each message submitted to Delaware Board of Trade FIX must contain the value "DBOX".

IP Address	Assigned by Staff	Validated during initial connection
Port	Assigned by Staff	Validated during initial connection
SenderCompID	Assigned by Staff	Validated upon TCP connectivity
TargetCompID	Always "DBOX"	Validated upon TCP connectivity

1. The client establishes a TCP connection to DBOX FIX through a proprietary or commercial FIX engine using the assigned destination IP address and port.
2. The incoming IP address and port are examined and connectivity is established upon successful validation. The connection is refused if the credentials do not pass validation.
3. The logon message is the first message DBOX FIX expects to receive after TCP connectivity. (See the format of the Logon message in section 3 below)
4. SenderCompID and TargetCompID received in the logon header message is examined and connectivity to the DBOX FIX gateway is established upon validation. The TCP connection is terminated if these credentials do not pass validation.
5. DBOX FIX responds with a Logon acknowledge message upon establishing a successful session.

5 FIX Messages

This section outlines the FIX messages, how they are supported, and to what extent the business data is translated within the FIX Gateway.

5.1 FIX messages supported

The following FIX messages are supported by the FIX Gateway:

Message Category	Message Name	Message Type	Message Direction	Message Function
Administrative	Heartbeat	O	Inbound Outbound	Monitors FIX gateway status during periods of inactivity.
	Logon	A	Inbound Outbound	Identifies and authenticates a user/member establishing a connection to the FIX gateway.
	Test Request	1	Inbound	Verifies communications line and other FIX gateway parameters.

			Outbound	
	Resend Request	2	Inbound Outbound	Initiates a re-transmission of messages from the FIX gateway.
	Reject	3	Inbound Outbound	Rejects messages that cannot be processed by the FIX gateway.
	Sequence Reset (Gap Fill)	4	Inbound Outbound	Message has two modes: Sequence Reset – Gap Fill and Sequence Reset-Reset. Sequence Reset Gap Fill - used to fill or mark the gap Sequence Reset – Reset - used to force synchronization
	Logout	5	Inbound Outbound	Used to terminate a FIX session.
	New Order – Single	D	Inbound	Submits a market or limit priced bid or offer order for a security listed within a market. May contain time in force terms such as day, open, good til date.
	Execution Report	8	Outbound	
	Don't Know Trade	Q	Inbound	Rejects an execution report that was processed and sent by the FIX gateway.
	Order Cancel / Replace Request	G	Inbound	Request message to change the details of an existing order.

	Order Cancel Request	F	Inbound	Request to cancel an order.
	Order Cancel Reject	9	Outbound	Reject message for an Order Cancel / Replace Request or Order Cancel Request that cannot be processed by the FIX gateway.
	Order Status Request	H	Inbound	Request for querying the details of an order.
	Business Message Reject	j	Outbound	Rejects any message that cannot be processed by the FIX gateway and is cannot be rejected via another message.

5.2 Custom Fix Tags

DBOX FIX has defined the following list of FIX tags that extend the FIX 4.2 protocol.

Tag	Field Name	Req'd	Comments
43210	Order Destination	No	DBOX specific tag. If present, indicate order is a directed order to venue. If not present, indicate order is staged in DBOX. Available value: 'PINK' = OTC Markets Group 'ARCA' = Global OTC Markets 'ROUT' = Smart Router
43211	Execution Venue	No	DBOX specific tag. Specify where the trade happens, can be different from 43210, for example, "DBOX" indicates an internal cross
43212	Execution Contra Broker	No	DBOX specific tag. Indicate who your contra broker here is. If it is a internal cross, it will carry customer's own firm id

43214	Liquidity Indicator	No	If available from venue, carry venue's raw liquidity indicator. For Internal crossed trade, four possible values, 'P', provided liquidity 'T', took liquidity 'X', Routed to external venue and took liquidity
43226	Attributable	o	DBOX specific tag. Specified if an order is to be entered as Attributable Market Maker Quote <ul style="list-style-type: none"> • Set to 'Y' • Default is 'N'

5.3 FIX Message Header & Trailer

The message header and message trailer prefix and suffix all FIX messages. They contain the common information to uniquely identify and route the messages. Please refer to the description of each supported message to determine the required header and footer tags.

5.3.1 Message Header

Tag	Field Name	Req'd	Comments
8	BeginString	Yes	"FIX.4.2"
9	BodyLength	Yes	(Always unencrypted, must be second field in message)
35	MsgType	Yes	(Always unencrypted, must be third field in message)
49	SenderCompID	Ye	Provided by DBOX system administrator, must be specified in all FIX messages to DBOX and it will be echoed back in TargetCompID in all FIX messages to customers.
56	TargetCompID	Yes	Provided by customer, always echoed back in SenderCompID in all FIX messages to customers.
115	OnBehalfOfCompID	No	Required for service bureau connection
34	MsgSeqNum	Yes	(Can be embedded within encrypted data section.)
43	PossDupFlag	No	Always required for retransmitted messages, whether prompted by the sending system or as the result of a resend request. (Can be embedded within encrypted data section.)
97	PossResend	No	Ignored by DBOX
52	SendingTime	Yes	Required

122	OrigSendingTime	No	Required for message resends. If data is not available set to same value as SendingTime (Can be embedded within encrypted data section.)
-----	-----------------	----	--

5.3.2 Message Trailer (All)

All messages are to contain the following required tags in the trailer.

Tag	Field Name	Req'd	Comments
10	Checksum	Yes	(Always unencrypted, always last field in message)

5.4 Drop Copy Sessions

The FIX Gateway offers Drop Copy sessions which provide copies of Execution Report messages that were originally sent to other FIX sessions from the same firm. These Drop Copy sessions must be pre-configured by Market Operations, and no special logon is required. All Administrative messages are supported on a Drop Copy session, and retransmission functions as per a regular FIX session.

When a Drop Copy session copies out an Execution Report to a client, this message will be indicated as a copy with CopyMsgIndicator = Y, as well as the OnBehalfOfCompID field providing the CompID of the FIX session to which the message was originally sent.

Execution Report messages where ExecType = 8 (Rejected) will not be copied out by a Drop Copy session. Any attempt by a client to submit an Application message on a Drop Copy session will be rejected by the server.

5.5 Administrative Messages

The administrative messages are designed to meet the utility needs of the protocol. As a rule they contain no business information and consequently are handled internally within the FIX gateway. All administrative messages are supported.

Message	MsgType	Comments
Logon	A	This is sent after connection to identify and authenticate the customer and to establish a FIX session.
Heartbeat	0	Sent by FIX servers at predefined interval during login in tag 108.

TestRequest	1	This message will be sent if data has not been received for a within the specified HeartBeat interval.
ResendRequest	2	Notify the opposite party to resend messages that may have been missed.
Reject Message	3	Used in response to a message that could not be processed
Sequence Reset	4	Used to reset the FIX session sequence number
Logout	5	This is sent by the client to terminate the FIX session and perform a clean disconnect.

5.5.1 Heartbeat (MsgType = 0)

The heartbeat message should be sent if agreed upon HeartbeatInterval has elapsed since the last message sent. If any proceeding HeartbeatInterval a Heartbeat message need not be sent.

5.5.2 Logon (MsgType = A)

The logon message identifies and authenticates the user or member, and establishes a connection to the FIX Gateway.

The FIX gateway accepts Logon messages as per the FIX specification. Further, the FIX gateway supports the logon sequence required for session authentication.

After a successful logon as described in the specification the FIX gateway will:

- 1 Initiate retransmission processing via a resend request if the Logon sequence number is greater than the value expected
- 2 Initiate logout processing via a Logout message with an appropriate error message, then waits for a confirming Logout before disconnecting if the Logon sequence number is less than expected. If the confirming Logout has not been received within a short period of time the session will be disconnected.
- 3 Handle retransmission requests
- 4 Initiate a Logon using the SenderCompID in the message header.
- 5 Will forwarded to the FIX client messages that are waiting in the outbound queue
- 6 Begin regular message communication.

Tag	Field Name	Req'd	Comments
-----	------------	-------	----------

35	Standard Header	Yes	MsgType = A
108	HeartBtInt	Yes	Heartbeat interval in seconds
	Standard Trailer	Yes	

5.5.3 Test Request (MsgType = 1)

This message requests the return of a heartbeat message and verifies the communications line and other FIX parameters.

Inbound test request messages result in the appropriate heartbeat response.

If a Heartbeatinterval + 1 second have elapsed since the last message received, a Test Request should be issued. If another Heartbeatinterval + 1 second go by without receiving a message, the TCP connection should be dropped.

Tag	Field Name	Req'd	Comments
35	Standard Header	Yes	MsgType = 1
112	TestReqID	Yes	Identifier included in Test Request message to be returned in resulting Heartbeat
	Standard Trailer	Yes	

5.5.4 Resend Request (MsgType = 2)

The resend request message initiates the retransmission of messages. The FIX client or Gateway may generate a resend request when a message sequence number gap is detected.

A Resend Request message should be processed even if it is received ahead of sequence. Only after resending the request range (all marked PossDup= "Y", including gap fills) should Resend Request issued in the opposite direction.

Tag	Field Name	Req'd	Comments
35	Standard Header	Yes	MsgType = 2
7	BeginSeqNo	Yes	Message sequence number of first record in range to be resent
16	EndSeqNo	Yes	Message sequence number of last record in range to be resent. If request is for a single record BeginSeqNo = EndSeqNo. If request is for all messages subsequent to a particular message, EndSeqNo = 0

5.5.5 Reject (Msg Type = 3)

This message is used by the FIX Gateway to reject messages that violate session level rules and are unable to be processed. The gateway checks inbound messages for the presence of its required tags. It also validates the message type tag. In the case where the message type is missing (tag 35 on the inbound message), the reject message issues a value of “Unknown” in tag 58, as the FIX gateway is unaware of what the message is.

Tag	Field Name	Req'd	Comments
35	Standard Header	Yes	MsgType = 3
45	RefSeqNum	Yes	MsgSeqNum of rejected message
58	Text	No	Where possible, message to explain reason for rejection

5.5.6 Sequence Reset (MsgType = 4)

This message is used to reset the incoming sequence number of the opposing side. This message supports two modes:

1. Sequence Reset-GapFill - GapFillFlag=Y
2. Sequence Reset-Reset - GapFillFlag=N (only used to recover from Disaster)

The GapFill can be used to mark a place of a message(s) or administration messages that are not being resent. To view the complete functionality of the Sequence Reset (Gap Fill) message refer to the FIX protocol.

Tag	Field Name	Req'd	Comments
35	Standard Header	Yes	MsgType = 4
123	GapFillFlag	No	Y=Gap fill beginning at NewSeqNo N=NewSeqNo is ignored – manual recovery attempted
36	NewSeqNo	Yes	Next requested sequence number
	Standard Trailer	Yes	

5.5.7 Logout (MsgType = 5)

The Logout message initiates or confirms the termination of a FIX session.

The FIX gateway will receive and generate logout messages as required by the FIX Protocol. The gateway follows the prescribed sequence of messages for the proper termination of the session.

Messages received by the gateway after the client logs out are stored in a log file for transmission to the client once the client logs in again within the same trading day. The messages to be transmitted are dependent on the sequence number reconciliation that occurs on a logon handshake.

Upon receipt of a Logout message:

1. A confirming logout message will be sent by the gateway to the client; then,
2. The session will be disconnected.

The FIX gateway should never initiate a logoff except when a severe error has occurred.

Tag	Field Name	Req'd	Comments
35	Standard Header	Yes	MsgType = 5
58	Text	No	Free format text string (Note: this field does not have a specified maximum length) If the Logout message has been sent by the the FIX gateway, then this field will contain the text "Session closed".
	Standard Trailer	Yes	

Note: Logout is not required.

5.6 APPLICATION MESSAGES – Customer to DBOX

5.6.1 New Order – Single (MsgType = D)

This message is used to submit an order to the trading system for processing.

Tag	Field Name	Req'd	Comments
35	Standard Header	Yes	MsgType = D
11	ClOrdID	Yes	Unique identifier of the order. Must be unique for each session, max 32 chars.
1	Account	No	Optional identifier from customer, will be passed back in Execution Report Account mnemonic as agreed between broker and institution.
18	ExecInst	No	Can contain multiple instructions, space delimited. 'H' = Hidden 'M' = Midpoint Peg 'R' = Primary Peg



Order Routing FIX Specifications

			For directed order to venue, accepts values specified in venue's spec, but not listed above.
110	MinQty	No	Minimum quantity of an order to be executed.
111	MaxFloor	No	The quantity to be displayed. Required for reserve orders. On orders specifies the qty to be displayed, on execution reports the currently displayed quantity.
55	Symbol	Yes	Ticker symbol. Common FINRA assigned OTC symbol
65	SymbolSfx	No	See explanation in Symbology section
54	Side	Yes	'1' = Buy '2' = Sell '5' = ShortSale '6' = ShortSale Exempt
38	OrderQty	Yes	Number of shares ordered. This represents the number of shares for equities
40	OrdType	Yes	'1' = Market '2' = Limit 'P' = Peg Order *Pegged requires Execlnst 18=M or R
44	Price	No	Required for limit OrdTypes
59	TimeInForce	No	'0' = DAY (Expires at end of market day 9:30AM-4PM) '3' = IOC (Immediate-Or-Cancel) '5' = GTX (Expires at end of extended day eligible from 8AM-5PM) '6' = GTD (Expires at specified ExpireTime)
114	LocateReqd	No	Optional, processed for Sell Short or Sell Short Exempt N=Client affirms ability to borrow Y= Client does not affirm ability to borrow, results in a reject
126	ExpireTime	No	Required if TimeInForce = GTD GMT time
168	EffectiveTime	No	Specify the starting time of the order GMT time
211	PegOffset	No	Representing a price offset, which can be mathematically added to a "Price". The number of decimal places is two places.
47	Capacity	No	'P' = Principal 'A' = Agency

			<p>'R' = Riskless</p> <p>If not present, will use default account value</p> <p>For directed order to venue, accepts values specified in venue's spec, but not listed above.</p>
43210	Order Destination	No	<p>DBOX specific tag.</p> <p>If present, indicate order is a directed order to venue.</p> <p>If not present, indicate order is staged in DBOX.</p> <p>Available value: 'PINK' = OTC Markets Group 'ARCA' = Global OTC Markets 'ROUT' = Smart Router</p>
43226	Attributable	o	<p>DBOX specific tag.</p> <p>Specified if an order is to be entered as Attributable Market Maker Quote</p> <ul style="list-style-type: none"> • Set to 'Y' • Default is 'N'
	Standard Trailer	Yes	

5.6.2 Order Cancel Request (MsgType = F)

Tag	Field Name	Req'd	Comments
35	Standard Header	Yes	MsgType = F
41	OrigClOrdID	Yes	ClOrdID of the previous order
37	OrderID	No	Unique identifier of most recent order as assigned by broker.
11	ClOrdID	Yes	Unique ID of cancel request as assigned by the institution.
55	Symbol	Yes	
65	SymbolSfx	No	
54	Side	No	<p>'1' = Buy</p> <p>'2' = Sell</p> <p>'5' = ShortSale</p> <p>'6' = ShortSale Exempt</p>
38	OrderQty	No	
58	Text	No	
	Standard Trailer	Yes	

5.6.3 Order Cancel/Replace Request (a.k.a. Order Modification Request) (MsgType = G)

Tag	Field Name	Req'd	Comments
35	Standard Header	Yes	MsgType = G
37	OrderID	No	Unique identifier of most recent order
41	OrigCLOrdID	Yes	CLOrdID of the previous order
11	CLOrdID	Yes	Unique identifier of replacement order as assigned by institution.
1	Account	No	Account mnemonic as agreed between broker and institution.
18	ExecInst	No	Can contain multiple instructions, space delimited.
110	MinQty	No	
111	MaxFloor	No	
55	Symbol	Yes	Must match original order
65	SymbolSfx	No	
54	Side	Yes	Must match original side.
38	OrderQty	Yes	
40	OrdType	Yes	
44	Price	No	Required for limit OrdTypes.
59	TimeInForce	No	Absence of this field indicates Day order
126	ExpireTime	No	Required if TimeInForce = GTD
168	EffectiveTime	No	Specify the starting time of the order GMT time
47	Capacity	No	
	Standard Trailer	Yes	

5.7 APPLICATION MESSAGES – DBOT to customer

5.7.1 Execution Report (Drop Copy) (MsgType 8)

Tag	Field Name	Req'd	Comments
35	Standard Header	Yes	MsgType = 8
37	OrderID	Yes	DBOX system assigned order ID
11	CLOrdID	No	Copied from Customer's request
41	OrigCLOrdID	No	Copied from Customer's request
17	ExecID	Yes	DBOX assigned execution ID
20	ExecTransType	Yes	



Order Routing FIX Specifications

19	ExecRefID	No	Required for Cancel and Correct ExecTransType messages
150	ExecType	Yes	
39	OrdStatus	Yes	0=New 1= PartiallyFilled 2=Filled 3=DoneForDay 4=Canceled 5=Replaced 6=PendingCancel 7=Stopped 8=Rejected A=PendingNew C=Expired E=PendingReplace
1	Account	No	Copied from Customer's request
55	Symbol	Yes	Based on customer's input. If customer uses NASDAQ/BATS format in tag 55, then we send back same thing to customer
65	SymbolSfx	No	
54	Side	Yes	'1' = Buy '2' = Sell '5' = ShortSale (client affirms ability to borrow) '6' = ShortSale Exempt
38	OrderQty	Yes	
40	OrdType	No	'1' = Market '2' = Limit 'P' = Peg Order
44	Price	No	Price per share
211	PegDifference	No	Representing a price offset, which can be mathematically added to a "Price". The number of decimal places is two places.
59	TimeInForce	No	
126	ExpireTime	No	
18	ExecInst	No	Can contain multiple instructions, space delimited.
47	Capacity	No	
32	LastShares	Yes	Quantity of shares bought/sold on this (last) fill.
31	LastPx	Yes	Price of this (last) fill.
151	LeavesQty	Yes	Amount of shares open for further execution.
14	CumQty	Yes	Currently executed shares for chain of orders.

6	AvgPx	Yes	Calculated average price of all fills on this order.
43211	Execution Venue	No	DBOX specific tag. Specify where the trade happens, can be different from 43210, for example "DBOX" indicates a displayed market, "DBOT" indicates a match using the Price/Size matching algorithm.
43212	Execution Contra Broker	No	DBOX specific tag. Indicate who your contra broker here is. If it is a internal cross, it will carry customer's own firm id
43214	Liquidity Indicator	No	If available from venue, carry venue's raw liquidity indicator. For Internal crossed trade, four possible values, 'P', provided liquidity 'T', took liquidity 'R', routed to external destination 'X', Routed to external venue and took liquidity
58	Text	No	Optional free style text message
	Standard Trailer	Yes	

5.7.2 Order Cancel Reject (MsgType =9)

Tag	Field Name	Req'd	Comments
35	Standard Header	Yes	MsgType = 9
37	OrderID	Yes	
11	ClOrdID	Yes	Unique order id assigned by institution to the cancel request or to the replacement order.
41	OrigClOrdID	Yes	ClOrdID which could not be canceled/replaced. ClOrdID of the previous order (NOT the initial order of the day) when canceling or replacing an order.
39	OrdStatus	Yes	OrdStatus value after this cancel reject is applied.
102	CxlRejReason	No	
58	Text	No	Optional explanation message
	Standard Trailer	Yes	

6 Appendix

6.1 Order Type Examples

6.1.1 Reserve Order

Reserve orders are orders having both a displayed quantity and a non-visible quantity that is replenished when the displayed quantity is fully executed.

- The incoming order will provide the Order Quantity (OrderQty) and the Display Quantity (MaxFloor).
- The reserve quantity is the difference between the Order Quantity and the Display Quantity.

6.1.1.1 Reserve Order Attributes

Tag	Field Name	Req'd	Comments
55	Symbol	Yes	Ticker symbol.
54	Side	Yes	'1' = Buy '2' = Sell '5' = ShortSale '6' = ShortSale Exempt
38	OrderQty	Yes	Number of shares ordered. This represents the number of shares for equities
40	OrdType	Yes	'2' = Limit
44	Price	No	Required for limit OrdTypes
59	TimeInForce	No	'0' = DAY (Expires at end of market day.) '5' = GTX (Expires at end of extended day)
111	MaxFloor	No	The quantity to be displayed. Required for reserve orders.
47	Capacity	No	'P' = Principal 'A' = Agency 'R' = Riskless

6.1.2 Smart Router Order

The Sweep Limit will always begin with the inside price level as the starting price. The Sweep Limit will continue until the limit price is reached or the order is no longer marketable or until the order is complete.

The Sweep Market is the same as a Sweep Limit order that will keep working at the current inside price

The Sweep Limit/Market order can have a TIF of "IOC" and "Day."

Tag	Field Name	Req'd	Comments
110	MinQty	No	Minimum quantity of an order to be executed.
55	Symbol	Yes	Ticker symbol. Common, "human understood" representation of the security
54	Side	Yes	'1' = Buy '2' = Sell '5' = ShortSale '6' = ShortSale Exempt
38	OrderQty	Yes	Number of shares ordered. This represents the number of shares for equities
40	OrdType	Yes	'1' = Market '2' = Limit
44	Price	No	Required for limit OrdTypes
59	TimeInForce	No	'0' = DAY (Expires at end of market day.) '3' = IOC (Immediate-Or-Cancel)
47	Capacity	No	'P' = Principal 'A' = Agency 'R' = Riskless
43210	Order Destination	No	DBOX specific tag. 'ROUT' = DBOT Smart Router

6.1.3 Market Maker Quote

The market maker quote is entered either as one-sided or two side quotes. Each firm is allowing one designated quote per security and one quote on each side of the market. There is no auto quote refresh, so if a market maker quote is fully executed, then a new quote will be placed. Market maker quotes are entered and updated just like an order on DBOX, except that they will be reinstated the next day if they remain in the book at the end of the trading session.

Tag	Field Name	Req'd	Comments
43225	Market Maker Quote	No	DBOT specific tag. Specified if an order is to be entered as a quote. <ul style="list-style-type: none"> • Set to 'Y' • Default is 'N'
55	Symbol	Yes	Ticker symbol.
54	Side	Yes	'1' = Buy '2' = Sell '5' = ShortSale '6' = ShortSale Exempt

38	OrderQty	Yes	Number of shares ordered. This represents the number of shares for equities
40	OrdType	Yes	'2' = Limit
44	Price	No	Required for limit OrdTypes
59	TimeInForce	No	'0' = DAY (Expires at end of market day.) '5' = GTX (Expires at end of extended day)
47	Capacity	No	'P' = Principal 'A' = Agency 'R' = Riskless
43226	Attributable	No	DBOX specific tag. Specified if an order is to be entered as Attributable Market Maker Quote <ul style="list-style-type: none"> Set to 'Y' Default is 'N'

6.1.4 Market Maker Reserve Order

Market Maker Quote Reserve orders are orders having both a displayed quantity and a non-visible quantity that is replenished when the displayed quantity is fully executed.

- The incoming order will provide the Order Quantity (OrderQty) and the Display Quantity (MaxFloor).
- The reserve quantity is the difference between the Order Quantity and the Display Quantity.

6.1.4.1 Reserve Order Attributes

Tag	Field Name	Req'd	Comments
	Market Maker Quote	Yes	
55	Symbol	Yes	Ticker symbol.
54	Side	Yes	'1' = Buy '2' = Sell '5' = ShortSale '6' = ShortSale Exempt
38	OrderQty	Yes	Number of shares ordered. This represents the number of shares for equities
40	OrdType	Yes	'2' = Limit
44	Price	No	Required for limit OrdTypes
59	TimeInForce	No	'0' = DAY (Expires at end of market day.) '5' = GTX (Expires at end of extended day)

111	MaxFloor	No	The quantity to be displayed. Required for reserve orders.
47	Capacity	No	'P' = Principal 'A' = Agency 'R' = Riskless
43226	Attributable	No	DBOX specific tag. Specified if an order is to be entered as Attributable Market Maker Quote <ul style="list-style-type: none"> Set to 'Y' Default is 'N'

6.1.5 DBOX Primary Peg

6.1.5.1 Primary Peg Order Attributes

Tag	Field Name	Req'd	Comments
	Market Maker Quote	Yes	
55	Symbol	Yes	Ticker symbol.
54	Side	Yes	'1' = Buy '2' = Sell '5' = ShortSale '6' = ShortSale Exempt
38	OrderQty	Yes	Number of shares ordered. This represents the number of shares for equities
40	OrdType	Yes	'P' = Peg Order
44	Price	No	Required for limit OrdTypes
59	TimelnForce	No	'0' = DAY (Expires at end of market day.)
111	MaxFloor	No	The quantity to be displayed. Required for reserve orders.
47	Capacity	No	'P' = Principal 'A' = Agency 'R' = Riskless
18	ExecInst	Yes	Can contain multiple instructions, space delimited. <ul style="list-style-type: none"> 'R' for Primary Peg

211	PegOffset	No	Representing a price offset, which can be mathematically added to a "Price". The number of decimal places is two places.
-----	-----------	----	--

6.1.6 DBOX Mid-Point Peg

6.1.6.1 *Mid-Point Peg Order Attributes*

Tag	Field Name	Req'd	Comments
	Market Maker Quote	Yes	
55	Symbol	Yes	Ticker symbol.
54	Side	Yes	'1' = Buy '2' = Sell '5' = ShortSale '6' = ShortSale Exempt
38	OrderQty	Yes	Number of shares ordered. This represents the number of shares for equities
40	OrdType	Yes	'P' = Peg Order
44	Price	No	Required for limit OrdTypes
59	TimeInForce	No	'0' = DAY (Expires at end of market day.)
47	Capacity	No	'P' = Principal 'A' = Agency 'R' = Riskless
18	ExecInst	Yes	Can contain multiple instructions, space delimited. <ul style="list-style-type: none"> 'M' for midpoint.